

Note: Please request special conditions for a classroom set



Monocular version



Binocular version



LCD display ODC 231

Educational Line

The modern compound microscope for teaching in your class room

Features

- The KERN OBT range is a high-quality school microscope, which will impress you with its intuitive control elements, sturdy construction and modern design
- The infinitely dimmable 1W LED guarantees optimum illumination of the samples and also ensures long service life. Mobile use is also no problem through optional battery operation
- The simple 0.65 condenser lens with adjustable aperture diaphragm on the OBT 101 ensures the very best concentration of light and illumination of the sample. The OBT 102, 103, 104, 105, 106 models have a 1.25 Abbe condenser which is height-adjustable and can therefore be focussed and has an aperture diaphragm, which ensures the very best concentration of light
- To focus the object, all models have a coarse and fine focusing knob on both sides. The mechanical stage enables you to work with the samples and move them rapidly (only for OBT 103, 104, 105, 106)
- A large selection of different eyepieces and objectives is also available
- NEW: OBT 231: Digital kit with LCD display for viewing samples, USB dual power supply for microscopes and displays, software for measurements as well as a USB interface and micro SD card slot for documenting recordings
- NEW: ODC 231: LCD display, can be retrofitted on all models of the OBT range, see model fittings table
- A dust cover as well as user instructions are included with the delivery
- Please find detailed information in the following model outfit list

Scope of application

 Primary school, secondary school, training, hobby

Applications/Samples

 Translucent, thin, high-contrast, less complex samples (e.g. plant tissue, coloured cells/ parasites)

Technical data

- · Finite optical system DIN
- OBT 101: 3-fold lens revolving unit, OBT 102, 103, 104, 105, 106, OBT 231: 4-fold lens revolving unit
- OBT-1: Tube 45° inclined/360° rotatable
- Diopter adjustment, one-sided (for binocular models)
- Overall dimensions W×D×H OBT-1: 195×147×325 mm OBT-2: 182×195×360 mm

· Net weight

OBT-1: approx. 2,8 kg OBT-2: approx. 6 kg

STANDARD OPTION OPTIO

not OBT 101

Model Standard configuration

	Tube	Eyepiece	Objective quality	Objectives	Illumination	Stage	
OBT 101	Monocular	WF 10 x/Ø 18 mm	Achromatic		1W LED (transmitted)	fix	
OBT 102	Monocular	WF 10 x/Ø 18 mm	Achromatic	4 / 10 / 10 /	1W LED (transmitted)	fix	
OBT 103	Monocular	WF 10 x/Ø 18 mm	Achromatic	4× / 10×/ 40× –	1W LED (transmitted)	mechanical	
OBT 104	Binocular	WF 10 x/Ø 18 mm	Achromatic	_	1W LED (transmitted)	mechanical	
OBT 105	Monocular	WF 10 x/Ø 18 mm	Achromatic		1W LED (transmitted)	mechanical	
OBT 106	Binocular	WF 10 x/Ø 18 mm	Achromatic	4× / 10× / 40× / 100×	1W LED (transmitted)	mechanical	
OBT 231	LCD display	-	Achromatic	_	1W LED (transmitted)	mechanical	

New model

Model outfit			Model KERN						Order number	
		OBT 101	OBT 102	OBT 103	OBT 104	OBT 105		OBT 231		
	WF 10 ×/Ø 18 mm	✓	✓	✓	44	✓	44		OBB-A3200	
Eyepieces (23,2 mm)	WF 10 ×/Ø 18 mm (with Pointer)	0	0	0	0	0	0		OBB-A3201	
	WF 10 ×/Ø 18 mm (reticule 0,1 mm)	0	0	0	0	0	0		OBB-A3202	
	4 ×/0,1 W.D. 27 mm	✓	✓	✓	✓	✓	✓	✓	OBB-A3203	
Achromatic	10 ×/0,25 W.D. 7 mm	✓	✓	✓	✓	✓	✓	✓	OBB-A3204	
objectives	40 ×/0,65 (spring-loaded) W.D. 0,6 mm	✓	✓	✓	✓	✓	✓	✓	OBB-A3205	
	100 ×/1,25 (oil) (spring-loaded) W.D. 0,2 mm	0	0	0	0	✓	✓	✓	OBB-A3207	
Monocular tube	45° angled/360° revolving	✓	✓	✓	0	✓	0	0	OBB-A3221	
Binocular tube	Siedentopf 45° inclined/360° rotatable Interpupillary distance 48 mm-75 mm Diopter adjustment one-sided	0	0	0	✓	0	✓	0	OBB-A3222	
Tube with LCD display	· Tablet Camera 2 MP · CMOS 1/2,8" · USB 2.0	0	0	0	0	0	0	✓	ODC 231	
Fixed stage	· Stage size W×D 115×110 mm · Coaxial coarse and fine focusing knobs, scale: 2 µm	✓	✓							
Mechanical stage	· Stage size B×T 115×110 mm · Travel 52×20 mm · Coaxial coarse and fine focusing knobs, scale: 2 µm · Holder for one slide			√	√	√	√	√		
	Simple condenser N.A. 0,65	✓								
Condenser	Abbe N.A. 1,25 (aperture diaphragm)		✓	✓	✓	✓	✓	✓		
Illumination	1W LED spare bulb (transmitted)	✓	✓	✓	✓	✓	✓	✓	OBB-A3208	
	Blue	0	0	0	0	0	0	0	OBB-A3212	
Colour filters for	Green	0	0	0	0	0	0	0	OBB-A3210	
transmitted illumination	Yellow	0	0	0	0	0	0	0	OBB-A3211	
	Grey	0	0	0	0	0	0	0	OBB-A3209	
			✓ = Included with delivery							
		•								